

**DECLARATION of PERFORMANCE**

**NR 01/USX4.0/CPR-J-01192-22/2022**



1. *Unique identification code of the product-type:* **Wood screws type USX  $\phi$ 4.0**  
**Full thread L = (35 ÷ 70)mm**  
**Stainless steel grade 304 according to American standard AISI**
2. *Intended use:* **Screws type USX  $\phi$ 4.0 are intended for fixing of wood**
3. *Name, registered trade name or registered trade mark and contact address of the manufacturer:*  
**Marcopol Sp. z o.o. Producent Śrub, street Oliwska 100, 80-209 Chwaszczyno**
4. *System or systems of assessment and verification of constancy of performance of the construction product:*  
**System “3” of assessment**
5. *Declaration of performance concerning by a harmonized standard:* **EN 14592:2008 + A1:2012 Tab. ZA.1,**  
*Name and identification number of the notified body:* **Strojirenský zkušební ústav, s.p. Brno, Czech Republic, No. 1015**
6. *Declared performance:*

Essential characteristic	Performance od product acc. CPR-J-01192-22		Harmonised specification
Characteristic yield moment $M_{y,k}$ [Nmm]	2 006		EN 1995-1-1
Characteristic withdrawal parameter $f_{ax,k}$ [N/mm <sup>2</sup> ] – for characteristic density of wood 350 kg/m <sup>3</sup>	Perpendicular to the grain	Paraller to the grain	EN 1995-1-1
	18.07	16.99	
Characteristic head pull- through parameter $f_{head,k}$ [N/mm <sup>2</sup> ] – for density of wood 350 kg/m <sup>3</sup>	25.92		EN 1995-1-1
Characteristic tensile capacity $f_{tens,k}$ [kN]	3.57		EN 1383
Characteristic torsional ratio for density of wood 450 kg/m <sup>3</sup>	1.51		EN ISO 10666 EN 14592 +A1 annex B
Class of reaction to fire	A1		EN 13501-1
Corrosion Resistance:	Stainless steel AISI 304 service class 3		EN 1995-1-1

7. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 6

This declaration of performance is issued according to CPR 305/2011 under the sole responsibility of the manufacturer identified in point 3.

Chwaszczyno, 02.08.2022

Signed by:

R&D Director

Janusz Kabała

Dyrektor Działu Rozwoju  
Produktów



*Janusz Kabała*  
Janusz Kabała